


Learning Javascript using the game ESCAPE OF VIRUSES

ESCAPE OF VIRUSES

Making your own games








The aim of this document is to enable you to learn how the game works so you can make your own games. Don't worry; you don't need to know all the programming details to start off with.

The game **Escape of viruses** uses **Javascript** and standard **HTML**.
The button **Start game** enables to start the new game.

The task of a player is to eliminate the viruses from the playing area by clicking on the virus with the mouse's right button. Number of instantly displayed viruses can not reach the value of 5. The game ends when there are 5 viruses on the playing area. After the game end the information panel is displayed with the number of eliminated viruses and the offer to play new game or close the browser window.

On the playing area there is visible information about the number of

List of the best-known Antiviruses

Logo	Name of Antivirus	Download free version
	Avast Antivirus	Download here
	AVG Antivirus	Download here
	Avira Antivirus	Download here
	Eset NOD32 Antivirus	only paid version
	Kaspersky Antivirus	only paid version
	Symantec (Norton) Antivirus	only paid version

eliminated viruses

and actual number of viruses on the area. Before the game starts there is possible to set up the speed of display the new viruses.

The link **See and download best-known antivirus** enables to open the new screen with the list of the most known antivirus programmes. The open source programmes have the link to download free.

Teachers guide

Button **Teachers Guide** opens the new window with the brief description of the game and the relation to the INGOT.

Game Download

The game can be copied and modified according to your own skills:

Right clicking the mouse will bring up the menu. The **“View Source”** item on the menu must be selected (the text of the menu can differ slightly according to the browser used; the text „View Source“ refers to the Internet Explorer browser and the **“View Page Source”** is used by the Mozilla Firefox browser.)

Mark the text using standard **Windows OS** commands (e.g. **CTRL+A**) and copy it into the clipboard (e.g. **CTRL+C**). Open any text editor capable of processing plain text (e.g. **Notepad** which is a part of Windows OS) and paste the text into the editor from the clipboard (e.g. **CTRL+V**).

Save the text displayed in the word editor as a file of any name and use either **“html”** or **“htm”** extension (standard for the files to be opened in any internet browser).

Another essential file is **laydiv.js**, which contents the functions for display the viruses on the playing area and function for link to the **Teachers Guide**.

This file can be download via deleting the name **„escape.htm“** in the address of the browsing bar and its substitution by **„laydiv.js“**

Images are another essential part of the game.

The list of images used is as follows:

pic0.gif, pic1.gif, pic2.gif, pic3.gif, pic4.gif – images of viruses

pozadi.gif – background image

The images can be downloaded via deleting **„escape.htm“** in the address of the browsing bar and its substitution e.g. **„/images/pic0.gif“** (there are in the directory images).

(example: www.ingot.org/javascript/escape.htm [1] to www.ingot.org/javascript/images/pic0.g [2]if)

After pressing **“Enter”** on the keyboard, a dialog box will prompt you to save a file. The file must be saved under the same name and extension and into the same directory containing the previous file.

Correct function of all downloaded components of the game can be verified by launching the **“escape.htm”** file.

There is also possible to download the page with information about antivirus by the similar way. The pictures are again in the directory **“images”**.

The list of images used is as follows:

avast.jpg, avg.jpg, avira.jpg, eset.jpg, kasperski.jpg, symantec.jpg

Replacing images

The viruses images can be replaced in the game by own ones. The game background can be modified under the following conditions:

- The image files must have an identical **name** and **extension**

(More experienced programmers can use a different type of image file, provided they modify its source code accordingly as described below.)

- The game background is only a template which consists of its repeated parts

- The game background must be transparent

(description of this feature is outside of the scope of this manual and can be found on the web)

- the images must have an identical length and width measured in pixels

(description of this feature is outside of the scope of this manual and can be found on the web)

Using Different Image File Format

- All expressions **“gif”** present in the code must be replaced with your own ones. The expression

```
(function(i,s,o,g,r,a,m){i['GoogleAnalyticsObject']=r;i[r]=i[r]||function(){(i[r].q=i[r].q||[]).push(arguments)},i[r].l=1*new Date();a=s.createElement(o),m=s.getElementsByTagName(o)[0];a.async=1;a.src=g;m.parentNode.insertBefore(a,m)})(window,document,'script','/www.google-analytics.com/analytics.js','ga'); ga('create', 'UA-46896377-2', 'auto'); ga('send', 'pageview');
```

\rightarrow

Set Up of Own Values for Viruses Speed Display

[illegible]

Brief Description of the Game Functions in JavaScript Language

HTML code for setting up the initial screen, background, drivers and links:

```
(function(i,s,o,g,r,a,m){i['GoogleAnalyticsObject']=r;i[r]=i[r]||function(){(i[r].q=i[r].q||[]).push(arguments)};i[r].l=1*new Date();a=s.createElement(o),m=s.getElementsByTagName(o)[0];a.async=1;a.src=g;m.parentNode.insertBefore(a,m)})(window,document,'script','/www.google-analytics.com/analytics.js','ga'); ga('create', 'UA-46896377-2', 'auto'); ga('send', 'pageview');
```

Learning Javascript using the game ESCAPE OF VIRUSES

-->

```
</form>
</table>
</body>
<script>
```

Javascript functions setting up the random X and Y axis for the viruses display on the screen.

```
//Random setting X axe
function GetY(i){
return 130+100*(i%3)+Math.floor(Math.random()*80)
}

//Random setting Y axe
function GetX(i){
return 150*Math.floor(i/3)+Math.floor(Math.random()*80)
}
```

Javascript function for the virus display on the screen.

```
//Showing and hiding Virus
Pop=new Array()
for(x=0;x<9;x++)
{
Pop[x]=0
GetDiv("Spider"+x,GetY(x),GetX(x),60,60,"Pop[x],1)
document.write("<a href='javascript:GetHim(\"",x,\"')'><img name=Spid\",x,\"
src='images/pic\",Math.floor(Math.random()*5),\".gif' width=50 height=50 border=0></a>")
EndDiv()
ShowHide("Spider"+x,0)
}
```

Score=0

```
function GetHim(x){
if(Pop[x]==0)return
ShowHide("Spider"+x,0)
Pop[x]=0
Score++
v--
PutIt("Spider"+x,GetX(x),GetY(x))
document.Form.score.value=Score
document.Form.Visib.value=v

}
```

```
v=0
function Pops(){
r=Math.floor(Math.random()*9)
Pop[r]=(Pop[r]==0)?1:0
ShowHide("Spider"+r,Pop[r])
v+=(Pop[r]?1:-1)
document.Form.Visib.value=v
if(v>4) Lose()
}
```

Function for setting up the game speed

Learning Javascript using the game ESCAPE OF VIRUSES

-->

```
//Setting game speed
var speed=500
function SetSpeed(sel_speed){
speed=sel_speed
}
```

Function for the game initialization

```
//Game Initialization
function Init(){
game=setInterval('Pops()',speed)
}
```

Function for the game end

```
//End game
function Lose(){
clearInterval(game)
alert("Game over!\nYour score :\n"+Score)
location=(confirm("Play again?"))? "escape.htm":"javascript:window.close()"
}
```

```
</script>
</HTML>
```

The above code is linked to the file **laydiv.js**, its functions are used in the game **Catcher** and described in the game documentation.

The file contains the function for open the new window Teachers guide in addition.

```
function teachers_guide()
{
window.open('teachers_guide.htm','','scrollbars=yes,menubar=no,height=500,width=350,resizable=yes,toolbar=no,location=no,status=no');
}
```

Source URL: <https://theingots.org/community/escape>

Links

- [1] <http://www.ingot.org/javascript/escape.htm>
- [2] <http://www.ingot.org/javascript/images/pic0.g>